

## Table ENG-6. - Sanitary Facilities

Campbell County and the City of Lynchburg, Virginia

The information in this table indicates the dominant soil condition, but does not eliminate the need for onsite investigation. The numbers in the value column range from 0.01 to 1.00. The larger the value, the greater the potential limitation. Limiting features in this report are limited to the top 5 limitations. Additional limitations may exist.

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
AbB:							
Abell	85	Very limited Depth to saturated zone Seepage	1.00  1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.25
Worsham	3	Not Rated		Not Rated		Not Rated	
AeB:							
Abell	85	Very limited Depth to saturated zone Seepage Too clayey	1.00  1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey Depth to saturated zone	0.50 0.25
Worsham	3	Not Rated		Not Rated		Not Rated	
AgB:							
Appling	85	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey Hard to compact	0.50 0.50
AgC:							
Appling	85	Somewhat limited Too clayey Slope	0.50 0.37	Somewhat limited Slope	0.37	Somewhat limited Too clayey Hard to compact Slope	0.50 0.50 0.37
ApB:							
Appling	85	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey Hard to compact	0.50 0.50
ApC2:							
Appling	85	Somewhat limited Too clayey Slope	0.50 0.37	Somewhat limited Slope	0.37	Somewhat limited Too clayey Hard to compact Slope	0.50 0.50 0.37
AwE2:							
Appling	45	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey Hard to compact	1.00 0.50 0.50

## Table ENG-6. - Sanitary Facilities - Continued

Campbell County and the City of Lynchburg, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
AwE2:							
Wedowee	45	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope Hard to compact	1.00 0.50
AxE2:							
Appling	40	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey Hard to compact	1.00 0.50 0.50
Wedowee	35	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope Hard to compact	1.00 0.50
BrD:							
Bremo	85	Very limited Depth to bedrock Seepage Slope	1.00 1.00 0.37	Very limited Depth to bedrock Seepage Slope	1.00 1.00 0.37	Very limited Depth to bedrock Gravel content Slope	1.00 0.58 0.37
BrE:							
Bremo	85	Very limited Slope Depth to bedrock Seepage	1.00 1.00 1.00	Very limited Slope Depth to bedrock Seepage	1.00 1.00 1.00	Very limited Depth to bedrock Slope Gravel content	1.00 1.00 0.58
BrF:							
Bremo	85	Very limited Slope Depth to bedrock Seepage	1.00 1.00 1.00	Very limited Slope Depth to bedrock Seepage	1.00 1.00 1.00	Very limited Depth to bedrock Slope Gravel content	1.00 1.00 0.58
Bu:							
Buncombe	85	Very limited Flooding Too Sandy Seepage	1.00 1.00 1.00	Very limited Flooding Seepage	1.00 1.00	Very limited Seepage Too Sandy	1.00 0.50
Wet spots	3	Not Rated		Not Rated		Not Rated	
CcB2:							
Cecil	85	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey Hard to compact	0.50 0.50
CcC2:							

## Table ENG-6. - Sanitary Facilities - Continued

Campbell County and the City of Lynchburg, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
CcC2: Cecil	85	Somewhat limited Too clayey Slope	0.50 0.37	Somewhat limited Slope	0.37	Somewhat limited Too clayey Hard to compact Slope	0.50 0.50 0.37
CcE2: Cecil	85	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey Hard to compact	1.00 0.50 0.50
CdC: Cecil	85	Somewhat limited Too clayey Slope	0.50 0.37	Somewhat limited Slope	0.37	Somewhat limited Too clayey Hard to compact Slope	0.50 0.50 0.37
CeB3: Cecil	85	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey Hard to compact	0.50 0.50
CeD3: Cecil	85	Somewhat limited Too clayey Slope	0.50 0.37	Somewhat limited Slope	0.37	Somewhat limited Too clayey Hard to compact Slope	0.50 0.50 0.37
CeE3: Cecil	85	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey Hard to compact	1.00 0.50 0.50
CfL: Cut and fill land	100	Not Rated		Not Rated		Not Rated	
Ch: Chewacla	85	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
Riverview	4	Not Rated		Not Rated		Not Rated	
Wehadkee	4	Not Rated		Not Rated		Not Rated	
Toccoa	3	Not Rated		Not Rated		Not Rated	

Ct:

## Table ENG-6. - Sanitary Facilities - Continued

Campbell County and the City of Lynchburg, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Ct:							
Chewacla	45	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	0.50
Toccoa	30	Very limited		Very limited		Not limited	
		Flooding	1.00	Flooding	1.00		
		Depth to saturated zone	1.00	Depth to saturated zone	1.00		
Roanoke	4	Not Rated		Not Rated		Not Rated	
Wehadkee	4	Not Rated		Not Rated		Not Rated	
Riverview	3	Not Rated		Not Rated		Not Rated	
CuB:							
Cullen	85	Somewhat limited		Not limited		Somewhat limited	
		Too clayey	0.50			Too clayey	0.50
						Hard to compact	0.50
CuC2:							
Cullen	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Too clayey	0.50	Slope	0.37	Too clayey	0.50
		Slope	0.37			Hard to compact	0.50
						Slope	0.37
CuE2:							
Cullen	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	0.50			Too clayey	0.50
						Hard to compact	0.50
CxB3:							
Cullen	85	Somewhat limited		Not limited		Somewhat limited	
		Too clayey	0.50			Too clayey	0.50
						Hard to compact	0.50
CxC3:							
Cullen	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Too clayey	0.50	Slope	0.37	Too clayey	0.50
		Slope	0.37			Hard to compact	0.50
						Slope	0.37
CxE3:							
Cullen	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	0.50			Too clayey	0.50
						Hard to compact	0.50

# Table ENG-6. - Sanitary Facilities - Continued

Campbell County and the City of Lynchburg, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
DoA:							
Dogue	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Too clayey	1.00	Flooding	0.40	Depth to saturated zone	0.68
		Flooding	0.40				
Wet spots	3	Not Rated		Not Rated		Not Rated	
DoB:							
Dogue	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Too clayey	1.00	Flooding	0.40	Depth to saturated zone	0.68
		Flooding	0.40				
Wet spots	3	Not Rated		Not Rated		Not Rated	
Eb:							
Elbert	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Depth to bedrock	1.00	Depth to bedrock	0.42	Too clayey	1.00
		Too clayey	1.00			Depth to bedrock	0.42
Roanoke	4	Not Rated		Not Rated		Not Rated	
Frequently flooded	3	Not Rated		Not Rated		Not Rated	
Worsham	3	Not Rated		Not Rated		Not Rated	
EnB:							
Enon	85	Not limited		Not limited		Somewhat limited	
						Gravel content	0.07
EnC2:							
Enon	85	Not limited		Not limited		Somewhat limited	
						Gravel content	0.07
FIB2:							
Fluvanna	85	Very limited		Not limited		Very limited	
		Too clayey	1.00			Too clayey	1.00
FIC2:							
Fluvanna	85	Very limited		Somewhat limited		Very limited	
		Too clayey	1.00	Slope	0.37	Too clayey	1.00
		Slope	0.37			Slope	0.37
FIE2:							

## Table ENG-6. - Sanitary Facilities - Continued

Campbell County and the City of Lynchburg, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
FIE2:							
Fluvanna	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	1.00			Too clayey	1.00
Fo:							
Forestdale	85	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Too clayey	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Too clayey	1.00				
Wehadkee	5	Not Rated		Not Rated		Not Rated	
Wahee	3	Not Rated		Not Rated		Not Rated	
GeB2:							
Georgeville	85	Somewhat limited		Not limited		Somewhat limited	
		Too clayey	0.50			Too clayey	0.50
						Hard to compact	0.50
GeC2:							
Georgeville	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Too clayey	0.50	Slope	0.37	Too clayey	0.50
		Slope	0.37			Hard to compact	0.50
						Slope	0.37
GeE2:							
Georgeville	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	0.50			Too clayey	0.50
						Hard to compact	0.50
GrB:							
Georgeville	45	Somewhat limited		Not limited		Somewhat limited	
		Too clayey	0.50			Too clayey	0.50
						Hard to compact	0.50
Brockroad	40	Very limited		Not limited		Very limited	
		Too clayey	1.00			Too clayey	1.00
GwB:							
Gwinnett variant	85	Very limited		Somewhat limited		Somewhat limited	
		Depth to bedrock	1.00	Depth to bedrock	0.42	Too clayey	0.50
		Too clayey	0.50			Hard to compact	0.50
						Depth to bedrock	0.42
GwC:							

# Table ENG-6. - Sanitary Facilities - Continued

Campbell County and the City of Lynchburg, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
GwC:							
Gwinnett variant	85	Very limited		Somewhat limited		Somewhat limited	
		Depth to bedrock	1.00	Depth to bedrock	0.42	Too clayey	0.50
		Too clayey	0.50	Slope	0.37	Hard to compact	0.50
		Slope	0.37			Depth to bedrock	0.42
HaB:							
Helena	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Seepage	1.00	Depth to saturated zone	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Seepage	0.50
HaC:							
Helena	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Seepage	1.00	Depth to saturated zone	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Seepage	0.50
		Slope	0.37	Slope	0.37	Slope	0.37
HdB:							
Herndon	85	Somewhat limited		Not limited		Somewhat limited	
		Too clayey	0.50			Too clayey	0.50
						Hard to compact	0.50
HdC:							
Herndon	85	Somewhat limited		Not limited		Somewhat limited	
		Too clayey	0.50			Too clayey	0.50
						Hard to compact	0.50
HwB2:							
Hiwassee	85	Somewhat limited		Not limited		Somewhat limited	
		Too clayey	0.50			Too clayey	0.50
						Hard to compact	0.50
HwC2:							
Hiwassee	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Too clayey	0.50	Slope	0.37	Too clayey	0.50
		Slope	0.37			Hard to compact	0.50
						Slope	0.37
HwE2:							
Hiwassee	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	0.50			Too clayey	0.50
						Hard to compact	0.50
IrB:							

# Table ENG-6. - Sanitary Facilities - Continued

Campbell County and the City of Lynchburg, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
IrB:							
Iredell	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Depth to bedrock	1.00	Depth to bedrock	0.96	Depth to bedrock	0.96
Elbert	5	Not Rated		Not Rated		Not Rated	
IrB2:							
Iredell	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Depth to bedrock	1.00	Depth to bedrock	0.96	Depth to bedrock	0.96
Elbert	5	Not Rated		Not Rated		Not Rated	
IrC:							
Iredell	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Depth to bedrock	1.00	Depth to bedrock	0.96	Depth to bedrock	0.96
IrC2:							
Iredell	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Depth to bedrock	1.00	Depth to bedrock	0.96	Depth to bedrock	0.96
LoD:							
Louisburg	85	Very limited		Very limited		Somewhat limited	
		Depth to bedrock	1.00	Seepage	1.00	Depth to bedrock	1.00
		Seepage	1.00	Depth to bedrock	1.00	Slope	0.37
		Slope	0.37	Slope	0.37	Seepage	0.21
LoE:							
Louisburg	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Seepage	1.00	Depth to bedrock	1.00
		Seepage	1.00	Depth to bedrock	1.00	Seepage	0.21
LoF:							
Louisburg	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Seepage	1.00	Depth to bedrock	1.00
		Seepage	1.00	Depth to bedrock	1.00	Seepage	0.21
MaB2:							
Madison	85	Very limited		Somewhat limited		Somewhat limited	
		Depth to bedrock	1.00	Depth to bedrock	0.61	Depth to bedrock	0.61
						Hard to compact	0.50

MaC2:



## Table ENG-6. - Sanitary Facilities - Continued

Campbell County and the City of Lynchburg, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
MaC2: Madison	85	Very limited Depth to bedrock Slope	1.00 0.37	Somewhat limited Depth to bedrock Slope	0.61 0.37	Somewhat limited Depth to bedrock Hard to compact Slope	0.61 0.50 0.37
MaE2: Madison	85	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Slope Depth to bedrock	1.00 0.61	Very limited Slope Depth to bedrock Hard to compact	1.00 0.61 0.50
McD: Manteo	85	Very limited Depth to bedrock Seepage Slope	1.00 1.00 0.37	Very limited Depth to bedrock Slope	1.00 0.37	Very limited Depth to bedrock Seepage Slope	1.00 0.50 0.37
McE: Manteo	85	Very limited Slope Depth to bedrock Seepage	1.00 1.00 1.00	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Depth to bedrock Slope Seepage	1.00 1.00 0.50
McF: Manteo	85	Very limited Slope Depth to bedrock Seepage	1.00 1.00 1.00	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Depth to bedrock Slope Seepage	1.00 1.00 0.50
MnE: Manteo	45	Very limited Slope Depth to bedrock Seepage	1.00 1.00 1.00	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Depth to bedrock Slope Seepage	1.00 1.00 0.50
Rock outcrop	40	Not Rated		Not Rated		Not Rated	
MpB: Masada	85	Very limited Too clayey	1.00	Not limited		Very limited Too clayey	1.00
MpC: Masada	85	Very limited Too clayey Slope	1.00 0.37	Somewhat limited Slope	0.37	Very limited Too clayey Slope	1.00 0.37
MrB: Masada	85	Very limited Too clayey	1.00	Not limited		Very limited Too clayey	1.00

## Table ENG-6. - Sanitary Facilities - Continued

Campbell County and the City of Lynchburg, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
MrC:							
Masada	85	Very limited Too clayey	1.00	Not limited		Very limited Too clayey	1.00
MsB2:							
Masada	85	Very limited Too clayey	1.00	Not limited		Very limited Too clayey	1.00
MsC2:							
Masada	85	Very limited Too clayey Slope	1.00 0.04	Somewhat limited Slope	0.04	Very limited Too clayey Slope	1.00 0.04
MtB:							
Masada	85	Very limited Too clayey	1.00	Not limited		Very limited Too clayey	1.00
Elbert	3	Not Rated		Not Rated		Not Rated	
Worsham	2	Not Rated		Not Rated		Not Rated	
MwB:							
Mayodan	85	Very limited Too clayey	1.00	Not limited		Very limited Too clayey	1.00
MwC:							
Mayodan	85	Very limited Too clayey Slope	1.00 0.37	Somewhat limited Slope	0.37	Very limited Too clayey Slope	1.00 0.37
MyB2:							
Mayodan	85	Very limited Too clayey	1.00	Not limited		Very limited Too clayey	1.00
MyC2:							
Mayodan	85	Very limited Too clayey Slope	1.00 0.37	Somewhat limited Slope	0.37	Very limited Too clayey Slope	1.00 0.37
MzB2:							
Mecklenburg	85	Very limited Too clayey	1.00	Not limited		Very limited Too clayey	1.00
MzC2:							
Mecklenburg	85	Very limited Too clayey Slope	1.00 0.37	Somewhat limited Slope	0.37	Very limited Too clayey Slope	1.00 0.37
MzE2:							

# Table ENG-6. - Sanitary Facilities - Continued

Campbell County and the City of Lynchburg, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
MzE2:							
Mecklenburg	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	1.00			Too clayey	1.00
NaB:							
Nason	85	Very limited		Somewhat limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	0.42	Too clayey	1.00
		Too clayey	1.00			Depth to bedrock	0.42
NaC:							
Nason	85	Very limited		Somewhat limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	0.42	Too clayey	1.00
		Too clayey	1.00	Slope	0.37	Depth to bedrock	0.42
		Slope	0.37			Slope	0.37
NaE:							
Nason	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	0.42	Too clayey	1.00
		Too clayey	1.00			Depth to bedrock	0.42
PeA:							
Penn	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.21
						Gravel content	<0.01
Roanoke	3	Not Rated		Not Rated		Not Rated	
PeB:							
Penn	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.21
						Gravel content	<0.01
PeC:							
Penn	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00	Slope	0.37
		Slope	0.37	Slope	0.37	Seepage	0.21
PkB:							
Pinkston	85	Very limited		Very limited		Somewhat limited	
		Depth to bedrock	1.00	Seepage	1.00	Depth to bedrock	1.00
		Seepage	1.00	Depth to bedrock	1.00	Gravel content	0.85
						Seepage	0.50
PkD:							

## Table ENG-6. - Sanitary Facilities - Continued

Campbell County and the City of Lynchburg, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
PkD:							
Pinkston	85	Very limited		Very limited		Somewhat limited	
		Depth to bedrock	1.00	Seepage	1.00	Depth to bedrock	1.00
		Seepage	1.00	Depth to bedrock	1.00	Gravel content	0.85
		Slope	0.37	Slope	0.37	Seepage	0.50
PpE:							
Pinkston	45	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Seepage	1.00	Depth to bedrock	1.00
		Seepage	1.00	Depth to bedrock	1.00	Gravel content	0.85
Penn	40	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.21
Qu:							
Quarry mine	100	Not Rated		Not Rated		Not Rated	
Re:							
Riverview	85	Very limited		Very limited		Not limited	
		Flooding	1.00	Flooding	1.00		
		Depth to saturated zone	1.00	Depth to saturated zone	1.00		
Chewacla	4	Not Rated		Not Rated		Not Rated	
Toccoa	4	Not Rated		Not Rated		Not Rated	
Frequently flooded	3	Not Rated		Not Rated		Not Rated	
Ro:							
Roanoke	85	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Too clayey	1.00				
Elbert	5	Not Rated		Not Rated		Not Rated	
StA:							
State	85	Very limited		Very limited		Not limited	
		Flooding	1.00	Flooding	1.00		
		Depth to saturated zone	1.00	Depth to saturated zone	1.00		
		Seepage	1.00				
Wet spots	3	Not Rated		Not Rated		Not Rated	

StB:

## Table ENG-6. - Sanitary Facilities - Continued

Campbell County and the City of Lynchburg, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
StB:							
State	85	Very limited		Very limited		Not limited	
		Flooding	1.00	Flooding	1.00		
		Depth to saturated zone	1.00	Depth to saturated zone	1.00		
		Seepage	1.00				
Wet spots	3	Not Rated		Not Rated		Not Rated	
TaD:							
Tallapoosa	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.37	Slope	0.37	Slope	0.37
TaE:							
Tallapoosa	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
TaF:							
Tallapoosa	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
TIB:							
Tatum	85	Very limited		Somewhat limited		Somewhat limited	
		Depth to bedrock	1.00	Depth to bedrock	0.42	Depth to bedrock	0.42
TIC2:							
Tatum	85	Very limited		Somewhat limited		Somewhat limited	
		Depth to bedrock	1.00	Depth to bedrock	0.42	Depth to bedrock	0.42
		Slope	0.37	Slope	0.37	Slope	0.37
TIE2:							
Tatum	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	0.42	Depth to bedrock	0.42
TmD3:							
Tatum	85	Very limited		Somewhat limited		Somewhat limited	
		Depth to bedrock	1.00	Depth to bedrock	0.42	Depth to bedrock	0.42
		Slope	0.37	Slope	0.37	Slope	0.37
TmE3:							
Tatum	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	0.42	Depth to bedrock	0.42
To:							

# Table ENG-6. - Sanitary Facilities - Continued

Campbell County and the City of Lynchburg, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
To:							
Toccoa	85	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Not limited	
Chewacla	4	Not Rated		Not Rated		Not Rated	
Frequently flooded	3	Not Rated		Not Rated		Not Rated	
TuB:							
Turbeville	85	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey Hard to compact	0.50 0.50
TuC2:							
Turbeville	85	Somewhat limited Too clayey Slope	0.50 0.37	Somewhat limited Slope	0.37	Somewhat limited Too clayey Hard to compact Slope	0.50 0.50 0.37
UL:							
Urban land	100	Not Rated		Not Rated		Not Rated	
UNC:							
Urban land	50	Not Rated		Not Rated		Not Rated	
Cecil	30	Somewhat limited Too clayey Slope	0.50 0.04	Somewhat limited Slope	0.04	Somewhat limited Too clayey Hard to compact Slope	0.50 0.50 0.04
URC:							
Urban land	50	Not Rated		Not Rated		Not Rated	
Cullen	30	Somewhat limited Too clayey Slope	0.50 0.04	Somewhat limited Slope	0.04	Somewhat limited Too clayey Hard to compact Slope	0.50 0.50 0.04
USC:							
Urban land	50	Not Rated		Not Rated		Not Rated	
Madison	30	Very limited Depth to bedrock Slope	1.00 0.04	Somewhat limited Depth to bedrock Slope	0.61 0.04	Somewhat limited Depth to bedrock Hard to compact Slope	0.61 0.50 0.04

VaB:

## Table ENG-6. - Sanitary Facilities - Continued

Campbell County and the City of Lynchburg, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
VaB: Vance	85	Very limited Too clayey	1.00	Not limited		Very limited Too clayey	1.00
VaB2: Vance	85	Very limited Too clayey	1.00	Not limited		Very limited Too clayey	1.00
VaC2: Vance	85	Very limited Too clayey	1.00	Not limited		Very limited Too clayey	1.00
W: Water	100	Not Rated		Not Rated		Not Rated	
Wa: Wahee	45	Very limited Flooding Depth to saturated zone Too clayey	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Too clayey Depth to saturated zone	1.00 1.00
Augusta	35	Very limited Flooding Depth to saturated zone Too Sandy	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00	Very limited Too Sandy Seepage Depth to saturated zone	1.00 1.00 1.00
Chewacla	3	Not Rated		Not Rated		Not Rated	
Forestdale	3	Not Rated		Not Rated		Not Rated	
Wehadkee	3	Not Rated		Not Rated		Not Rated	
Wd: Wehadkee	85	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00	Very limited Depth to saturated zone	1.00
Chewacla	4	Not Rated		Not Rated		Not Rated	
Forestdale	4	Not Rated		Not Rated		Not Rated	
WeA: White Store	85	Very limited Depth to saturated zone Depth to bedrock Too clayey	1.00 1.00 1.00	Very limited Depth to saturated zone Depth to bedrock	1.00 0.42	Very limited Too clayey Depth to saturated zone Depth to bedrock	1.00 1.00 0.42

## Table ENG-6. - Sanitary Facilities - Continued

Campbell County and the City of Lynchburg, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
WeA:							
Roanoke	3	Not Rated		Not Rated		Not Rated	
WeB:							
White Store	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Depth to bedrock	1.00	Depth to bedrock	0.42	Depth to saturated zone	1.00
		Too clayey	1.00			Depth to bedrock	0.42
WgA:							
White Store	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Depth to bedrock	1.00	Depth to bedrock	0.42	Depth to saturated zone	1.00
		Too clayey	1.00			Depth to bedrock	0.42
Roanoke	3	Not Rated		Not Rated		Not Rated	
WgB:							
White Store	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Depth to bedrock	1.00	Depth to bedrock	0.42	Depth to saturated zone	1.00
		Too clayey	1.00			Depth to bedrock	0.42
WhA:							
White Store variant	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Too clayey	1.00
		Too clayey	1.00			Depth to saturated zone	1.00
Roanoke	3	Not Rated		Not Rated		Not Rated	
WhB:							
White Store variant	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Too clayey	1.00
		Too clayey	1.00			Depth to saturated zone	1.00
WkB:							
Wilkes	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
WkD:							
Wilkes	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.37	Slope	0.37	Slope	0.37

**WkE:**



**Table ENG-6. - Sanitary Facilities - Continued**

Campbell County and the City of Lynchburg, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
WkE:							
Wilkes	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
WkF:							
Wilkes	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
WIE3:							
Wilkes	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
WoB:							
Worsham	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Too clayey	1.00			Too clayey	1.00
Frequently flooded	4	Not Rated		Not Rated		Not Rated	
Elbert	3	Not Rated		Not Rated		Not Rated	